


**Padmawati Extrusion Pvt. Ltd.**, with over 2 decades of experience, with focus on customer need and commitment to **quality**, **perfection and innovation**, has become one of the leading nationwide providers of aluminium.

The company has been engaged in the complete process of extrusion, from technical sales advise, designing, testing to providing all ancillary, hardware fittings for system windows, glazing systems, exhibition systems and various products and caters to architects, contractors and designers from different sectors & industries.

With an eye on quality, the company has also introduced **aluminium profiles with scratch free sand blasted anodize finish, brush anodize finish, mirror finish and various powder coated finishes** for our discerning customers.


Our way of working reflects delivering an advantage in every key aspect of our business – sourcing, operations and cost. Basically, we are a **one stop shop for extruded aluminium** custom solutions for practically any application.





S.No	Section No	D(MIM)	T(MM)	Wt/Mtr.Kg	Wt.Range(Kgs/12)
1	6264	8.70	2.45	0.129	0.470-0.490
2	6266	9.45	0.65	0.049	0.180-0.195
3	6245	9.50	100	0.073	0.260-0.290
4	6244	9.50	1.20	0.084	0.300-0.330
5	6272	9.50	1.50	0.103	0.370-0.400
6	6263	9.70	2.95	0.170	0.620-0.650
7	6256	12.50	100	0.097	0.350-0.380
8	6208	12.50	1.22	0.116	0.400-0.425
9	6255	12.50	160	0.148	0.540-0.570
10	6265	12.50	2.20	0.189	0.570-0.870
11	6209	12.50	2.40	0.205	0600-0500
12	6281	12.70	160	0.151	0.550-0.580
13	6284	14.70	4.30	0.380	1300-1500
14	6298	15.00	0.84	0.100	0.320-0.380
15	6258	15.80	100	0.124	0.450-0.490
16	6257	15.80	1.20	0.148	0.540-0.570
17	6259	15.80	160	0.192	0.700-0.730
18	6247	16.00	1.50	0.184	0.670-0.700
19	6224	16.00	2.25	0.262	0.800-1.100
20	6238	1800	0.60	0.086	0.310-0.360
21	6241	1800	1.50	0.210	0.760-0.790
22	6201	19.00	100	0.153	0.550-0.850
23	6261	19.00	1.20	0.181	0650-0860
24	6260	19.00	1.60	0.237	0.860-0.890
25	6268	19.00	3.00	0.413	1500-1700






S.No	Section No	D(MIM)	T(MM)	Wt/Wtr.Kg	Wt.Range(Kgs/12)
26	6240	20.00	1.50	0.235	0.860-0.890
27	6307	21.60	1.25	0.216	0.650-0.950
28	6299	22.00	100	0.178	
29	6304	22.00	1.22	0.216	0.660-0.850
30	6235	22.00	2.50	0.413	150-180
31	6280	22.20	160	0.280	100-130
32	6239	24.00	0.90	0.175	0.625-0.700
33	6211	25.00	1.15	0.232	0.850-0.900
34	6296	25.00	1.50	0.300	
35	6253	25.00	160	0.318	1100-1400
36	6305	25.00	200	0.392	1300-1600
37	6306	25.40	1.20	0.246	0.750-1.050
38	6287	25.40	1.25	0.256	0.930-0.960
39	6302	25.40	251	0.486	
40	6267	25.40	3.00	0.569	2000-2300
41	6297	25.40	4.00	0.726	
42	6293	30.00	1.90	0.454	
43	6309	30.00	200	0.475	1550-1850
44	6283	30.80	2.50	0.599	2100-2400
45	6228	31.75	1.10	0.286	1.050-1.250
46	6273	31.75	3.00	0.731	2600-2900
47	6246	32.00	160	0.413	1500-1800
48	6230	32.00	200	0.510	1800-2.100
49	6288	33.30	3.40	0.861	2900-3400
50	6231	35.70	4. <i>7</i> 5	1.247	4.700-4.900




## PADMAWATI EXTRUSION PVT. LTD.



S.No	Section No	D(MIM)	T(MM)	Wt/Mtr.Kg	Wt.Range(Kgs/12)
51	6216	38.00	1.20	0.375	1.320-1.40
52	6217	38.00	160	0.494	1800-1900
53	6254	38.00	200	0.610	2200-2600
54	6229	38.00	3.00	0.891	3.200-3.500
55	6286	40.00	200	0.648	2300-2600
56	6294	40.00	230	0.734	
57	6295	42.00	3.00	0.994	
58	6225	42.06	4.70	1.509	5.500-5.800
5 <del>9</del>	6292	44.00	3.00	1.042	
60	6303	44.50	150	0.559	1900-2200
61	6269	46.00	165	0.621	2.200-2.500
62	6233	48.49	4.70	1.744	6300-6600
63	6205	50.00	200	0.815	2.900-3.200
64	6234	50.00	250	1007	3.600-3.900
65	6274	50.00	290	1.160	4.200-4.500
66	6278	50.00	5.00	1.910	6.900-7.200
67	6204	50.80	1.27	0.534	1.850-2.150
68	6252	50.80	160	0.667	2400-2700
<del>69</del>	6282	51.50	3.20	1.312	4.800-5.100
70	6223	52.00	7.00	2672	9.700-9.900
71	6232	56.00	800	3.260	11.900-12.200
72	6249	60.32	3.91	1870	6.800-7.100
73	6275	ഒയ	3.00	1.530	5.500-5.800
74	6226	73.03	5.17	2.775	10.80-11.10
<b>7</b> 5	6301	75.00	250	1.536	



# PADMAWATI EXTRUSION PVT. LTD.



S.No	Section No	D(MM)	T(IVLIV)	Wt/Wtr.Kg	Wt.Range(Kgs/12)
<b>7</b> 6	6203	76.20	1.27	0.807	
77	6262	76.20	160	1.012	3.700-4.000
<b>7</b> 8	6291	76.20	3.50	2.157	7.500-8.300
79	6243	76.20	19.05	9.230	33.70-34.00
80	6236	87.40	2.40	1.731	6.300-6.600
81	6250	88.90	5.50	3.890	14.20-14.50
82	6242	89.00	7.50	5.200	19.000-19.300
83	6277	100.00	2.50	2.065	7.500-7.800
84	6202	101.60	1.27	1080	
85	6285	101.60	6.35	5.130	18.700-19.000
86	6251	113.00	3.25	3.026	11.000-11.300
87	6227	114.30	6.02	5.530	20.200-20.500
88	6248	114.30	8.56	7.680	28.100-28.400
89	6289	152.40	1.47	1.852	

