



PADMAWATI
EXTRUSION

CATALOGUE 2019

SLIDING WINDOW

Padmawati Extrusion Pvt. Ltd., with over 2 decades of experience, with focus on customer need and commitment to **quality, perfection and innovation**, has become one of the leading nationwide providers of aluminium.


The company has been engaged in the complete process of extrusion, from technical sales advise, designing, testing to providing all ancillary, hardware fittings for system windows, glazing systems, exhibition systems and various products and caters to architects, contractors and designers from different sectors & industries.

With an eye on quality, the company has also introduced **aluminium profiles with scratch free sand blasted anodize finish, brush anodize finish, mirror finish and various powder coated finishes** for our discerning customers.


Our way of working reflects delivering an advantage in every key aspect of our business – sourcing, operations and cost. Basically, we are a **one stop shop for extruded aluminium** custom solutions for practically any application.



SLIDING WINDOW SECTIONS(18 mm)



2 TRACK FRAME TOP&SIDE




2 TRACK FRAME BOTTOM

Section No	T (mm)	Wt/Mtr (Kgs)	Wight range (Kgs/12')	Section No	T (mm)	Wt/Mtr (Kgs)	Wight range (Kgs/12')
4393	0.80	0.454	1.60-1.80	4394	0.80	0.526	1.85-2.05
4218	1.03	0.554	1.90-2.10	4222	1.03	0.643	2.25-2.45
4219	1.20	0.624	2.10-2.40	4223	1.30	0.775	2.70-2.95
4220	1.30	0.664	2.40-2.60	4247	1.50	0.842	2.95-3.25
4221	1.50	0.745	2.60-2.90				

Section No 4226


Wt/Mtr 1.002 Kg



2 TRACK HOLLOW BOTTOM

Section No 4224


Wt/Mtr 1.100 Kg



2 TRACK FRAME GUTTER


Section No 4245

Wt/Mtr 1.03 Kg



Section No 4246

Wt/Mtr 1.13 Kg






SLIDING WINDOW SECTIONS(18 mm)


Section No 4307

Wt/Mtr 0.759 Kg




Section No 4388

Wt/Mtr 1.253 Kg




Section No 4306

Wt/Mtr 0.659 Kg




Section No 4225

Wt/Mtr 0.959 Kg




Section No 4310

Wt/Mtr 0.813 Kg




Section No 4343

Wt/Mtr 0.556 Kg




Section No 4309

Wt/Mtr 0.901 Kg




Section No 4242

Wt/Mtr 1.470 Kg






SLIDING WINDOW SECTIONS(18 mm)



3 TRACK FRAME TOP&SIDE

Section No	T	Wt/Mtr (Kgs)	Wight range (Kgs/12')
	(mm)		
4228	1.15	0.834	2.90-3.30
4229	1.35	0.945	3.30-3.60



3 TRACK FRAME BOTTOM



Section No	T	Wt/Mtr (Kgs)	Wight range (Kgs/12')
	(mm)		
4230	1.15	0.96	3.50-3.70
4231	1.35	1.083	3.90-4.30

Section No 4243

Wt/Mtr 1.515 Kg

Section No 4244

Wt/Mtr 1.660 Kg





Section No 4312

Wt/Mtr 1.067 Kg


Section No 4311

Wt/Mtr 1.195 Kg






SLIDING WINDOW SECTIONS(18 mm)



4 TRACK FRAME TOP&SIDE

Section No	T	Wt/Mtr (Kgs)	Wight range (Kgs/12')
	(mm)		
4234	1.25	1.12	4.00-4.50
4235	1.40	1.24	4.50-4.90



4 TRACK FRAME BOTTOM



Section No	T	Wt/Mtr (Kgs)	Wight range (Kgs/12')
	(mm)		
4237	1.10	1.15	4.10-4.50
4239	1.40	1.44	5.00-5.50

Section No 4344

Wt/Mtr 0.783 Kg

Section No 4248

Wt/Mtr 0.485 Kg







Section No 4249

Wt/Mtr 0.591 Kg



Section No 4250

Wt/Mtr 0.502 Kg



SLIDING WINDOW SECTIONS(18 mm)


Section No	T	Wt/Mtr	Wight range	Section No	T	Wt/Mtr	Wight range
	(mm)	(Kgs)	(Kgs/12')		(mm)	(Kgs)	(Kgs/12')
4390	0.80	0.351	1.20-1.50	4391	0.80	0.311	1.13-1.35
4201	1.00	0.427	1.50-1.70	4205	0.95	0.351	1.25-1.45
4202	1.10	0.462	1.70-2.00	4206	1.10	0.402	1.45-1.60
4203	1.30	0.548	2.00-2.20	4207	1.22	0.437	1.60-1.90
4204	1.45	0.610	2.20-2.40	4208	1.45	0.513	1.90-2.10
				4209	1.70	0.583	2.10-2.30




Section No	T	Wt/Mtr	Wight range	Section No	T	Wt/Mtr	Wight range
	(mm)	(Kgs)	(Kgs/12')		(mm)	(Kgs)	(Kgs/12')
4392	0.80	0.324	1.10-1.30	4214	1.00	0.467	1.70-1.90
4210	0.90	0.351	1.20-1.40	4215	1.20	0.524	1.90-2.20
4211	1.10	0.388	1.40-1.60	4216	1.45	0.607	2.20-2.40
4212	1.21	0.443	1.60-1.90				
4213	1.5	0.526	1.90-2.10				



SLIDING WINDOW SECTIONS(20 mm)


Section No 4303

Wt/Mtr 0.605 Kg




Section No 4304

Wt/Mtr 0.484 Kg




Section No 4305

Wt/Mtr 0.465 Kg




Section No 4340

Wt/Mtr 0.335 Kg




Section No 4341

Wt/Mtr 0.411 Kg




Section No 4342

Wt/Mtr 0.329 Kg




Section No 4313

Wt/Mtr 0.383 Kg



Section No 4354

Wt/Mtr 0.635 Kg






SLIDING WINDOW SECTIONS(20 mm)


Section No 4355

Wt/Mtr 0.573 Kg




Section No 4356

Wt/Mtr 0.705 Kg




Section No 4372

Wt/Mtr 0.421 Kg



Section No 4373

Wt/Mtr 0.502 Kg






SLIDING WINDOW SECTIONS(25 mm)


Section No 4259

Wt/Mtr 1.185 Kg



Section No 4252


Wt/Mtr 0.707 Kg



2 TRACK FRAME TOP&SIDE

Section No 4254


Wt/Mtr 0.839 Kg



2 TRACK FRAME BOTTOM


Section No 4280

Wt/Mtr 1.03 Kg




Section No 4281

Wt/Mtr 1.163 Kg




Section No 4294

Wt/Mtr 1.540 Kg




Section No 4293

Wt/Mtr 1.570 Kg



Section No 4295

Wt/Mtr 1.393 Kg



3 TRACK FRAME TOP&SIDE





SLIDING WINDOW SECTIONS(25 mm)

Section No 4296

Wt/Mtr 1.374 Kg

Section No 4297

Wt/Mtr 1.569 Kg





Section No 4357

Wt/Mtr 1.00 Kg

Section No 4358

Wt/Mtr 1.14 Kg





Section No 4260

Wt/Mtr 1.69 Kg

Section No 4256


Wt/Mtr 1.20 Kg



3 TRACK FRAME TOP&SIDE

Section No 4258

Wt/Mtr 1.35 Kg




3 TRACK FRAME BOTTOM



SLIDING WINDOW SECTIONS(25 mm)

Section No 4262


Wt/Mtr 0.761 Kg



INTERLOCK

Section No 4265


Wt/Mtr 0.689 Kg



SHUTTER SIDE FRAME

Section No 4271


Wt/Mtr 0.745 Kg



SHUTTER TOP&BOTTOMSID


Section No 4325

Wt/Mtr 0.613 Kg




Section No 4328

Wt/Mtr 0.683 Kg




Section No 4329

Wt/Mtr 0.729 Kg




Section No 4283

Wt/Mtr 0.807 Kg



Section No 4284

Wt/Mtr 0.985 Kg






SLIDING WINDOW SECTIONS(25 mm)


Section No 4282

Wt/Mtr 0.856 Kg




Section No 4285

Wt/Mtr 0.723 Kg



Section No 4288

Wt/Mtr 0.888 Kg






SLIDING WINDOW SECTIONS(30 mm)


Section No 4326

Wt/Mtr 1.26 Kg




Section No 4333

Wt/Mtr 1.82 Kg




Section No 4380

Wt/Mtr 2.565 Kg




Section No 4381

Wt/Mtr 1.593 Kg




Section No 4334

Wt/Mtr 1.131 Kg




Section No 4330

Wt/Mtr 0.864 Kg




Section No 4331

Wt/Mtr 0.923 Kg



Section No 4332

Wt/Mtr 1.050 Kg






SLIDING WINDOW SECTIONS(30 mm)


Section No 4351

Wt/Mtr 2.03 Kg




Section No 4349

Wt/Mtr 1.223 Kg




Section No 4353

Wt/Mtr 1.98 Kg



Section No 4352

Wt/Mtr 2.10 Kg






SLIDING WINDOW SECTIONS(15 mm)


Section No 4336

Wt/Mtr 0.348 Kg




Section No 4337

Wt/Mtr 0.451 Kg




Section No 4338

Wt/Mtr 0.380 Kg




Section No 4335

Wt/Mtr 0.424 Kg




Section No 4339

Wt/Mtr 0.524 Kg




Section No 4405

Wt/Mtr 0.183 Kg




Section No 4399

Wt/Mtr 0.172 Kg



Section No 4418

Wt/Mtr 0.167 Kg





PADMAWATI EXTRUSION PVT. LTD.

5/2, Bharat Ashish Building, D.B. Gupta Road, Paharganj, New Delhi - 110055 (India)
+91 98999 07895, 98112 76191 | Email : info@padmawatiextrusion.com